



EBF Meeting

8 October 2018 Fraport Conference Center, Frankfurt Airport







Welcome

Carlos Velazquez - Chairman







All to read and sign attendance sheet

Update



• Scheme registrations:







- Working with Anqip to merge the two databases
- Voluntary Agreement is with the European Commission and JRC with a Stakeholder meeting scheduled to take place in Madrid end of October – awaiting confirmation
- It is expected a decision on the preferred route will follow this meeting



Update


- Visibility improving
 - Presence and Presentations undertaken
 - Rebuild Spain EBF Chair and BMA
 - Cersaie undertaken by Confindustria and AVR
 - WateF Portugal –EBF Chair and BMA
 - Assobagno Presentation by Werner Heizelmann, Hansgrohe
 - Miguel Definit to undertake Plastic Pipes Europe and the link between less water drainage and consumer safety
- Working in Partnership with other Schemes Leroy Merlin etc



Technical Committee

European Bathroom Forum

- Taps and Shower Technical Committee met 13 September in London
- Sanitaryware Technical Committee met 19
 September in Germany
- Outcomes
- Outstanding challenges merging Water Label, Anqip, Swedish Energy and Swiss Energy into <u>ONE</u> Scheme









Technical Update

Chris Taylor-Hamlin, Neoperl Ltd., Chair Tech WG



Technical Update



Review of the Technical Aspects of the scheme: -

- Reflect state of the art
- Ensure functional testing covered (taps and showers)
- Add in 'missing' items (sanitaryware)

Taps and Showers





Taps and Showers



- Document circulated for review
- Review meeting held 2018-08-13 (Roca London Gallery)
- Discussion and update to document
- Technical Icons qualifying requirements
- Energy calculation



Sanitaryware



- Document circulated for review
- Review meeting held 2018-08-19 (Wirges, Germany)
- Discussion and update to document
- Added in 'missing' items Urinal bowls
- Functional testing already 'assured' by CE marking



Taps and Showers – Open Items



- Shower Solutions & Shower Outlets
 - Testing for low pressure
 - Confirmation of testing at 0.1 bar
- Taps
 - Potential to split Kitchen taps from other taps
 - Kitchen taps lowest 'grade' 6 lpm or less
 - Washbasin taps 'grade' 4 lpm or less

Sanitaryware – Open Items



- Technical Icons
 - To be clarified
 - To be circulated

All Technical – Open Items



- Consolidate Document
 - Review of Audit requirements for clarity
 - Circulation of complete document

- Timescales
 - 'Old' and 'New' documents on website from January 2019
 - Both possibilities to run for 2 years



Thank You






Marketing Committee



- Label Design Guidelines
- When to use the Label
- Newsletter and Press Releases to be issued
- Media Presence of Water Label
 - 21 published releases in the UK alone with a readership of 804,129 (Jan – Aug 2018)





Guidelines








This Guide explains how the European Water Label should be displayed when being used on printed and electronic media and any other applications.

The Guide also offers examples of how registered brands are using the label. The Label is available in various formats and sizes to suit different applications and product categories.

Full Label The full label shows how the product stands against similar products with differing flow, volume or capacity levels. capacity twos. The Labit can be investigated the other approximation, but no adjustment can be metablish the integra of brand-width the exception integration by the adjust flow, othere or the encounter of the encounter of the encounter of the Reserver the exception of VGC whether encounter the the decimal paces with the encounter of the adjustment the sector of the encounter of the encounter of the sector of the encounter of the encounter of the encounter of the encounter of the sector of the encounter of the of the data of the data. The labor of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the encounter of the encounter of the sector of the sector of the sector of the encounter of the encounter of the sector of the sector of the sector of the encounter of the sector of the sector of the sector of the sector of the encounter of the sector of the encounter of the sector of the sector of the sector of the sector of the encounter of the sector of the sector of the sector of the sector of the encounter of the sector of









Guidelines











-

22

Wite Label 0 11.0 mm

100- H-

 Water

F . F

Supply Line Flow

Pregulations is support with a supply the fast involve intensitial is supported with a supply the fast inputs intensitial and an application of the support intensitial and the support of the support these support of the support the support and the support and the support of the support and the support of the support and the support of the support of the support support of the support and the support support of the support and the support support of the support support of the support support support of the support support support of the support supp A complete description of the European Water Laber must be included in the document using the type of Label











Guidelines











Examples of exhibition use.





In store examples of the Label.



ISH Presence

<u>11 -15 March 2019</u>

- Message
- Media Event
- Use of Label





Challenges to be Addressed



- Top 10 Countries
- The road to achieving 80% of units sold
 - Questionnaire
 - Difficulties
 - Commission view
- Engagement
- Attendance at Commission meeting





